



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product elma tec clean N1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sector of uses [SU]

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product categories [PC]

PC35 - Washing and cleaning products (including solvent based products)

Process categories [PROC]

PROC8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC13 - Treatment of articles by dipping and pouring

Environmental release categories [ERC]

ERC8a - Wide dispersive indoor use of processing aids in open systems

Recommended intended purpose(s)

Neutral cleaning concentrate.

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

Elma Schmidbauer GmbH
Gottlieb-Daimler-Str. 17, D-78224 Singen (Htwl.)
Phone +49 7731 882-0, Fax +49 7731 882-266
E-Mail info@elma-ultrasonic.com
Internet www.elma-ultrasonic.com

Advice

Chemie/Labor: Email: chemlab@elma-ultrasonic.com

1.4. Emergency telephone number

Emergency advice

Vergiftungs-Informationen-Zentrale Freiburg
(Sprache/Language: D, GB)
Phone +49 761 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Additional hints

The product is not classified as dangerous according to Regulation (EC) 1272/2008 [GHS].

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Special rules for supplemental label elements for certain mixtures

Safety data sheet available on request.

2.3. Other hazards

Aquatic Acute 3 H402: Harmful to aquatic life.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Aqueous concentrate from anionic and nonionic surfactants, complexing agent and solvent.

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
34590-94-8	252-104-2	(2-methoxymethylethoxy)-propanol	5 - 15	
	932-051-8	Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid	5 - 15	Skin Irrit. 2, H315 / Eye Dam. 1, H318 / Aquatic Chronic 3, H412
68891-38-3	500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	5 - 15	Skin Irrit. 2, H315 / Eye Dam. 1, H318 / Aquatic Chronic 3, H412
26027-37-2		Oleic acid monoethanolamide, ethoxylated	< 5	Skin Corr. 1B, H314 / Eye Dam. 1, H318

REACH

CAS No	Name	REACH registration number
34590-94-8	(2-methoxymethylethoxy)-propanol	01-2119450011-60
	Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid	01-2119565112-48
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	01-2119488639-16
26027-37-2	Oleic acid monoethanolamide, ethoxylated	Not relevant (polymer).

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

If swallowed seek medical advice immediately and show the doctor packing or label.

Give water to drink in small sips.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No further informations available.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

No further informations available.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)

Printed

07.09.2017

revision

07.09.2017 (GB) Version 1.4

elma tec clean N1

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

water

Product does not burn, fire-extinguishing activities according to surrounding.

Alcohol-resistant foam

ABC powder

Gaseous fire-extinguishing substance

Carbon dioxide

Unsuitable extinguishing media

no

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

In the event of fire the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

Sulphur dioxide (SO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Do not inhale explosion and/or combustion gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protection.

High risk of slipping due to leakage/spillage of product.

For emergency responders

Use personal protective clothing.

Use personal protection.

Forms slippery surfaces with water.

High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Do not discharge into surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

Flush away residues with water.

After taking up the material dispose according to regulation.

6.4. Reference to other sections

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Take the usual precautions when handling with chemicals.

General protective measures

Avoid contact with eyes and skin

Hygiene measures

Provide washing facilities at place of work.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in original container.

Further information on storage conditions

Keep container tightly closed.

Keep locked up, out of reach of children

Protect from heat and direct solar radiation.

Keep in a cool place.

Do not keep at temperatures below 5 °C.

Information on storage stability

Storage time: 5 years.

7.3. Specific end use(s)

Recommendation(s) for intended use

no further

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2004/37/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
34590-94-8	(2-methoxymethylethoxy)-propanol	8 hours	308	50	skin

DNEL-/PNEC-values

DNEL worker

CAS No	Substance name	Value	Code	Remark
	Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid	6 mg/m3		DNEL long-term inhalative (systemic)

PNEC

CAS No	Substance name	Value	Code	Remark
	Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid	5,6 mg/l		PNEC sewage treatment plant (STP)
		0,268 mg/l		PNEC aquatic, freshwater
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0,24 mg/l		PNEC aquatic, freshwater



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

DNEL-/PNEC-values (continued)

CAS No	Substance name	Value	Code	Remark
		10000 mg/l	PNEC sewage treatment plant (STP)	

8.2. Exposure controls

Eye protection

tightly fitting goggles

Limitation and surveillance of the environment

Avoid penetration into the subsoil/soil.

Do not discharge into surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

light beige

Odour

mild

Odour threshold

(2-methoxymethylethoxy)-propanol: 210 - 600mg/m³ (34 - 97 ppm).

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	9	20 °C			
boiling range	> 100 °C				
solidifying range	-5 °C				
Flash point					No flash point below 100 °C.
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	not determined				
Self ignition temperature					not spontaneously flammable
Lower explosion limit	1,1 Vol-%				Value of (2-methoxymethyl ethoxy)-propanol.
Upper explosion limit	14 Vol-%				Value of (2-methoxymethyl ethoxy)-propanol.
Vapour pressure	23 - 24 hPa	20 °C			
Relative density	1,07 g/cm ³				



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed

07.09.2017

revision

07.09.2017 (GB) Version 1.4

elma tec clean N1

	Value	Temperature	at	Method	Remark
Vapour density	5,12				Value of (2-methoxymethyl ethoxy)-propanol.
Solubility in water					miscible
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	0,3	23 °C			Value of Alcohols, C12-14, ethoxylated, sulfates, sodium salts.
Decomposition temperature	>= 100 °C				
Viscosity	not determined				
Solvent content	5 - 15 %				
Vapourisation rate					
Water: 0.36 (ASTM D3539). (2-methoxymethylethoxy)-propanol: ~0.02 (ASTM D3539).					
Oxidising properties					no
Explosive properties					no
9.2. Other information					No further relevant informations available.

! SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used as directed.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Heat and direct solar radiation.

10.5. Incompatible materials

! Substances to avoid

No hazardous reactions known.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

10.6. Hazardous decomposition products

No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg		calculated	
LD50 acute dermal	> 5000 mg/kg		ATE (acute toxicity estimate)	
LC50 acute inhalation	> 50 mg/l ()		ATE (acute toxicity estimate)	vapours
Skin irritation	non-irritant		OECD 439	
Eye irritation	low irritant - no labeling duty	rabbit eye	OECD 405	
Skin sensitization	non-sensitizing			

Specific target organ toxicity (single exposure)

The mixture is not classified as specific target organ toxicant (single exposure).

Specific target organ toxicity (repeated exposure)

The mixture is not classified as specific target organ toxicant (repeated exposure).

Aspiration hazard

The mixture is not classified as aspiration hazardous.

Toxicity test (Additional information)

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

Experiences made from practice

Has a degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 19,8 mg/l		calculated	
Daphnia	EC50 36,3 mg/l		calculated	
Algae	EC50 90,2 mg/l		calculated	

12.2. Persistence and degradability

Biological degradability	> 90 %	DOC decrease	calculated	Biodegradable
---------------------------------	--------	--------------	------------	---------------

12.3. Bioaccumulative potential

Oleic acid monoethanolamide, ethoxylated: not available.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid: Bioaccumulation is improbable.

(2-methoxymethylethoxy)-propanol: Accumulation in organisms is not expected (log Pow: 0.004).

Alcohols, C12-14, ethoxylated, sulfates, sodium salts: Bioaccumulation is improbable.

12.4. Mobility in soil

Oleic acid monoethanolamide, ethoxylated: not available.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid: Adsorption on soil is not expected.

(2-methoxymethylethoxy)-propanol: Dissolves in water. Highly mobile in soil.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts: Koc: 191, moderately mobile in soil.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

12.6. Other adverse effects

No further relevant informations available.

Additional ecological information

	Value	Method	Remark
COD	ca. 567 mgO2/g	calculated	
AOX	The product does not contain any organically bound halogens according to the recipe.		

General regulation

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 3 H402: Harmful to aquatic life.

The mixture is not classified as chronic hazardous to the aquatic environment.

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

20 01 30

Name of waste

detergents other than those mentioned in 20 01 29

Recommendations for the product

Do not dispose with household waste.

Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

Recommendations for packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Recommended cleansing agent

Water

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

	ADR/RID	IMDG	IATA-DGR
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-
14.6. Special precautions for user no			
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant			
Land and inland navigation transport ADR/RID No dangerous goods as defined by these transport regulations.			
Marine transport IMDG No hazardous material as defined by the prescriptions.			
Air transport ICAO/IATA-DGR No hazardous material as defined by the prescriptions.			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorizations

not relevant

Application restrictions

not relevant

Other regulations (EU)

Regulation (EC) No 648/2004 (Detergents regulation).

Directive 2012/18/EU, Annex I: not mentioned.

VOC standard

VOC content 6 %

15.2. Chemical Safety Assessment

For this mixture a chemical safety assessment were not carried out.

! SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.3

! Sources of key data used

Own measurements.

European Chemicals Agency, <http://echa.europa.eu/>.

Informations from our suppliers.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.



Ultrasonics.Steam.Ultraclean.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 07.09.2017

revision 07.09.2017 (GB) Version 1.4

elma tec clean N1

H412 Harmful to aquatic life with long lasting effects.