

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Quartz Oil 9000
- **Article number:** 9000
- **Relevant identified uses of the substance or mixture and uses advised against** Lubricating oil
- **Product category** PC24 Lubricants, greases, release products
- **Application of the substance / the preparation** Lubrification
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
The Swatch Group Research and Development Ltd.  
Division Moebius  
Kreuzenstrasse 30  
CH-4452 Itingen  
Switzerland  
Tel.: +41 61 975 73 00  
Fax: +41 61 975 73 01  
e-mail: moebius@moebius-lubricants.ch
- **Emergency telephone number:**  
Switzerland: 145  
Outside Switzerland: National emergency number

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**




GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

R36/38: Irritating to eyes and skin.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xi Irritant

- **Risk phrases:**

36/38 Irritating to eyes and skin.

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

**Trade name:** Quartz Oil 9000

(Contd. of page 1)

**Safety phrases:**

- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37 Wear suitable gloves.
- 60 This material and its container must be disposed of as hazardous waste.

**Other hazards****Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

Alkoxyalkanol	Xi R36/38	50-100%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Alkylphenol	Xi R36/38	≤ 10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

**Description of first aid measures**

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

Trade name: Quartz Oil 9000

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**Alkylphenol**

MAK (Switzerland - german) 10 e mg/m<sup>3</sup>

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

Trade name: Quartz Oil 9000

(Contd. of page 3)

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

## · Information on basic physical and chemical properties

## · General Information

## · Appearance:

Form:	Liquid
Colour:	Red
· Odour:	Odourless
· Odour threshold:	Not determined.

· pH-value: Not determined.

## · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 200°C

· Flash point: &gt; 100°C

· Flammability (solid, gaseous): Not applicable.

## · Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

## · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure at 20°C: 1,3 hPa

· Density at 20°C: 0,907 g/cm<sup>3</sup>

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Segregation coefficient (n-octanol/water): Not determined.

## · Viscosity:

Dynamic:	Not determined.
Kinematic at 20°C:	100 mm <sup>2</sup> /s

## · Solvent content:

Organic solvents:	0,0 %
VOC (EC)	0,00 %

Solids content: 100,0 %

(Contd. on page 5)

CHE

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

Trade name: Quartz Oil 9000

(Contd. of page 4)

· **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official national regulations.

CHE

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

Trade name: Quartz Oil 9000

(Contd. of page 5)

### 14 Transport information

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to EU guidelines:  
Observe the general safety regulations when handling chemicals.  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- Code letter and hazard designation of product:



Xi Irritant

- Risk phrases:  
36/38 Irritating to eyes and skin.
- Safety phrases:  
23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
37 Wear suitable gloves.  
60 This material and its container must be disposed of as hazardous waste.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.10.2011

Version number 2

Revision: 06.10.2011

**Trade name:** Quartz Oil 9000

(Contd. of page 6)

*R36/38 Irritating to eyes and skin.*

· **Department issuing MSDS:** *Abteilung Produktsicherheit*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*ICAO: International Civil Aviation Organization*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

*VOC: Volatile Organic Compounds (USA, EU)*

· **\* Data compared to the previous version altered.**

CHE