# **Thessco Limited**

## Safety Data Sheet.

According to Regulation (EC) No 1907/2006

|                                  | According to Regulation (EC) No 1907/2006                             |  |
|----------------------------------|---|--|
| Section 1: Product a             | and Manufacturer Information  |  |
|                                  |   |  |
| Product Name                     | Cadmium Free Silver Brazing Alloys (see section 16 for alloy listing) |  |
| Product code                     | See section 16 for product codes                                      |  |
| Recommended Use                  | Metal joining applications  |  |
| Manufacturer                     | Thessco Limited,  |  |
|                                  | Royds Mills, Windsor Street,  |  |
|                                  | Sheffield, S4 7WB, England  |  |
|                                  |   |  |
|                                  | Telephone: +44 (0) 114 2720 966                                       |  |
|                                  | Fax: +44 (0) 114 2752 655   |  |
|                                  | e-mail: <u>technical@thessco.co.uk</u>                                |  |
| Section 2: Hazards I             | dentification   |  |
|                                  |   |  |
| Most Important Hazard            |   |  |
|                                  | g to Regulation (EC) No. 1272/2008 (CLP Classification)               |  |
|                                  | GHS07   |  |
|                                  | H335-May cause respiratory irritation                                 |  |
| Carcinogen                       | None known.   |  |
| Mutagenic                        | None known.   |  |
| Toxic for Reproduction           | None known.   |  |
| Тохіс                            | None known.   |  |
| Dangerous for the<br>Environment | None known.   |  |
| Specific Hazards                 |   |  |
|                                  |   |  |

The general hazards related to this product are due the potential for thermal burns in its use as a brazing alloy or from inhalation of metal and metal oxide fumes. However, under normal conditions occupational exposure levels are not likely to be exceeded.

Excessive exposure to copper and zinc oxide fumes evolved during severe overheating may result in metal fume fever. Symptoms are similar to those for influenza and often appear after a latent period of up to 10 hours. They typically disappear after 24 hours rest.

| Chemical Name                           | CAS Number  | EC Number  | Label/Risk Phrase                                | Weight   |  |
|---|---|--|--|--|--|
| Silver                                  | 7440-22-4   | 231-131-3  |  | (%)<br>5.0 - 88.0                                |  |
| Copper                                  | 7440-50-8   | 231-159-6  |  | 10.0 - 88.0                                      |  |
| Zinc                                    | 7440-66-6   | 231-175-3  |  | 1.0 - 45.0                                       |  |
| Tin                                     | 7440-31-5   | 231-141-8  |  | 0.0 - 12.0                                       |  |
| Section 4: First                        | Aid Measures  |  |  |  |  |
| General Advice                          | Show this data                                      | sheet to the doctor in a   | ttendance.                                       |  |  |
| Inhalation                              |   |  | cal attention if respiratory                     | symptoms develop.                                |  |
| Skin contact                            | Keep warm and                                       |  | with soap and water. See                         | k medical attention if                           |  |
| Skincontact                             | symptoms pers                                       |  | with soap and water. See                         |  |  |
| Eye contact                             | If redness or w                                     | atering occurs irrigate w  | ith copious amounts of isc                       | otonic water or isotonic                         |  |
| la sosti o s                            |   | edical attention.  | d at yeat. Obtain madical a                      | ttootion   |  |
| Ingestion                               | Do not induce                                       | vomiting. Keep warm an   | d at rest. Obtain medical a                      | ittention.                                       |  |
| Section 5: Fire I                       | Fighting Measures                                   | 5  |  |  |  |
| Suitable extinguishi                    | ng Extinguish with                                  | n dry powder, carbon dio   | xide or water spray.                             |  |  |
| media                                   |   |  |  |  |  |
| Unsuitable                              | Water jets.   |  |  |  |  |
| extinguishing media<br>Specific hazards | a<br>None.  |  |  |  |  |
| Special protective                      |   | sures required.  |  |  |  |
| equipment for fire                      |   |  |  |  |  |
| fighting                                |   |  |  |  |  |
| Section 6: Accio                        | lental Release Me                                   | easures  |  |  |  |
| Personal precaution                     | •   | protective equipment.  |  |  |  |
| Environmental<br>precautions            | Avoid release t                                     | o the environment. Do r  | not release to drain nor wa                      | iter courses.                                    |  |
| Spillages                               | Transfer into s                                     | uitable containers for re  | covery or disposal.                              |  |  |
|   | lling and Storage                                   |  |  |  |  |
| Handling                                |   | with eyes, skin and cloth  | ing. Avoid breathing in me                       | tal fumes from heated                            |  |
| -                                       | material. Wher                                      | Avoid contact with eyes, skin and clothing. Avoid breathing in metal fumes from heated material. When using do not eat drink or smoke. |  |  |  |
| Storage                                 | =   | I packaging in cool, dry o   | conditions.                                      |  |  |
| •                                       | sure Controls/Per                                   |  |  |  |  |
|   | ure limits (From EH40                               | 0/2005 including revisi  | · · ·  |  |  |
| Substance                               |   |  | TWA (8 hours)                                    | STEL (15 minutes)                                |  |
| Silver                                  |   |  | 0.1 mg.m <sup>-3</sup>                           |  |  |
| Copper fume (as Cu)                     |   |  | 0.2 mg.m <sup>-3</sup>                           |  |  |
| Zinc (as ZnO fume)                      |   | 5.0 mg.m <sup>-3</sup>   | 10.0 mg.m <sup>-3</sup>                          |  |  |
| Zinc (as ZnO fume)                      |   |  |  | 10.0 mg.m  |  |
| Tin compounds, inc                      | organic, except SnH4, (a<br>ganic, except Cyhexatir | •  | 2.0 mg.m <sup>-3</sup><br>0.1 mg.m <sup>-3</sup> | 4.0 mg.m <sup>-3</sup><br>0.2 mg.m <sup>-3</sup> |  |

Wear suitable protective clothing, PVC gloves for handling and heat resistant gloves as appropriate. If PPE is required a chemical cartridge respirator should be used. Workplace atmospheric monitoring and local exhaust ventilation may be required. Medical surveillance may be required.

#### Section 9: Physical and Chemical Properties

| Form                | Wire/rod or strip/sheet in coil or straight lengths; discs or other shapes as required or as powder. |
|---------------------|--|
| Colour              | Metallic silver/copper/brass dependent on composition.   |
| Odour               | None.  |
| рН                  | Not applicable.  |
| Melting point/range | 600-790°C  |
| Water solubility    | Very slight  |
| Relative Density    | 7.6-9.2 at 20°C (dependent on composition)   |

#### Section 10: Stability and Reactivity

| Stability               | Stable under normal conditions. |
|-------------------------|---------------------------------|
| Conditions to avoid     | Not applicable.                 |
| Materials to avoid      | Strong acids.                   |
| Hazardous decomposition | None known.                     |
| products                |                                 |

### Section 11: Toxicological Information

| Acute toxicity     | No data available.                                  |
|--------------------|---|
| Irritancy - Skin   | Very slight potential for an allergic skin reaction |
| - Eyes             | Unlikely to cause a problem.                        |
| Skin sensitisation | None known.   |
| Carcinogenicity    | None known.   |
| Chronic toxicity   | None known  |
|                    |   |

#### Section 12: Ecological Information

| Mobility                  | The product is non-volatile and insoluble. It will accumulate in the ground. |
|---------------------------|--|
| Persistence/Degradability | The product is expected to be resistant to biodegradation.                   |
| Bio-accumulation          | A potential for bio-accumulation is indicated.                               |
| Ecotoxicity               | No information available.  |
|                           |  |

#### Section 13: Disposal Considerations

| Waste from residues and unused product | Return to supplier. |
|--|---------------------|
|--|---------------------|

Regulations

The wastes are classified as hazardous and should be disposed of in accordance with the Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC)

European Waste Catalogue (EWC) No.

17-04-09\* (Metal – scrap, non-ferrous).

#### Section 14: Transport Information

| Non-hazardous for air, se | a and road freight. |
|---------------------------|---------------------|
| UN Class                  | Not classified.     |
| ADR/RID - Class           | Not classified.     |
| IMDG - Class              | Not classified.     |
| IMDG - Marine pollutant   | Not classified.     |
| IATA - Class              | Not restricted.     |
|                           |                     |

#### Section 15: Regulatory Information

Regulation EC 1272/2008 Classification, Labelling and Packaging of Hazardous Substances and Mixtures (CLP).

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

EH40/2005 Workplace exposure Limits.

Personal Protective Equipment at work regulations 1992 (as amended)).

Control of Substances Hazardous to Health Regulations as amended (2002)

LabelsHarmfulClassification according to EC 1272/2008 Classification, Labelling and Packaging of Hazardous Substances and<br/>Mixtures (CLP).

| $\mathbf{\wedge}$ | GHS07                  | H335-May cause respiratory irritation  |
|-------------------|------------------------|--|
|                   | Hazard Phrases:        | H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled  |
|                   | Precautionary Phrases: | P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.<br>P270: Do not eat, drink or smoke when using this product<br>P280: Wear protective gloves/protective clothing/eye<br>protection/face protection |

# Section 16: Other

| Product Name | Product Code | Product Name | Product Code | Product Name | Product Code |
|--------------|--------------|--------------|--------------|--------------|--------------|
| H21          | 33268        | M14          | 31751        | M37T         | 33408        |
| H20          | 31024        | M13          | 31196        | НОТ          | 31103        |
| H15          | 31041        | F30          | 32290        | M30T         | 33458        |
| H14          | 31134        | M3           | 31729        | M26T         | 31918        |
| H14M         | 32366        | M1           | 31258        | M25T         | 31120        |
| H12ZN        | 23235        | M0           | 33192        | M15T         | 31641        |
| M42          | 32084        | L23          | 32501        | LAg45Sn      | 32177        |
| H7           | 31636        | L18          | 31605        | M10T         | 31780        |
| H7H          | 32370        | L18HC        | 31887        | M8T          | 31526        |
| H7XE         | 32383        | L17          | 33175        | L31T         | 32129        |
| H7E          | 32397        | Z20          | 32484        | M4T          | 31811        |
| H4           | 31670        | L13          | 33206        | МОТ          | 31289        |
| H3           | 33518        | F26          | 32273        | VM0T         | 33955        |
| H1           | 31091        | Spelter      | 31306        | L18T         | 33051        |
| HO           | 31619        | L7           | 31323        | L11T         | 32211        |
| M28          | 31117        | L5           | 31966        | LOT          | 33127        |
| M24          | 33637        | L3           | 31354        |              |              |
| M20          | 31983        | T10          | 33919        |              |              |
| M15          | 32132        |              |              |              |              |

Telephone: +44 (0) 114 2720 966 e-mail: technical@thessco.co.uk

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.